### **INSTALLATION REVIEW GUIDE - OTHER RESILIENT FLOORING**

NOTE: Use this form in conjunction with resilient sheet and tile installation inspection guide forms for stairs, specialty flooring, etc.

This form only includes items specific to stairs, specialty flooring, etc.

Project Name:		Review / Claim No.:				
Project Address:				Inspector:		
Product Location:		Review Date (D/M/Yr):Installation Date (D/M/Yr):				
(list room areas)						
Owner's Name: Contact:				Owner's Phone No.:		
				Phone:		
NOTE: Review Evaluations must be ba	sed on Industry re	ecommendation	ns and applica	ble NFCA standards.	Review Report: 1 2 3 4 (Refer to last page	
ITEM	Not Applicable	Acceptable	Not Acceptable	Brief Explanation		
Stairs:			•			
Tread / riser substrate material						
Tread / riser substrate condition						
Tread / riser material				Туре		
Nosing (separate)				Type:		
Landing						
Tactile warning strip						
Specialty Flooring:						
Slip resistant flooring				Туре		
Sports flooring				Туре		
Static control flooring				Туре		
Moulded rubber slab / mat flooring				Туре		
Other						
Materials:						
Flooring Manufacturer / Product				Pattern No.:	Lot No.:	
Material thickness				Thickness:		
Material backing				Backing Type:		

## **INSTALLATION REVIEW GUIDE - OTHER RESILIENT FLOORING**

Project name:				Inspection / Claim No.:	
ITEM	Not Applicable	Acceptable	Not Acceptable	Brief Explanation	
Material flaws			•		
Material damage				Freight Broken Stained Other:	
Shading / colour variations between tiles					
Size variations between different colours					
Surface indenting					
Surface staining					
Other:			•		
ITEM	Not Applicable	Acceptable	Not Acceptable	Brief Explanation	
Accessories / edgings				Types:	
Other:					
Workmanship:					
Substrate preparation (patching, etc.)					
Adhesive application					
Overall bond of tread / riser					
Overall bond of flooring units					
General layout of flooring units					
Abutment of flooring units					
Straightness of border units					
Symmetrical / balanced perimeters					
Fill sizes along walls or in doorways					
Neat / tight fit to walls and abutments					
Pattern match tread-to-tread					
Pattern match between flooring units					
Clean-up of adhesive spills					
General flooring clean-up / scrap removal					
Protective coverings installed					
Other:					

## **INSTALLATION REVIEW GUIDE - OTHER RESILIENT FLOORING**

Project Name: Inspection / Claim No.:				
Flooring Failure Attributable to:	Not Applicable	Apparent Ca	use	Brief Explanation
Quality of workmanship				
Type of subfloor / location				
Excessive subfloor irregularities / undulations				
Moisture condition in area of failure				
Area flooding				
Excessive or insufficient heat in area				
Subfloor contamination migration				
Expansion / contraction of Tile				
Adhesive bonding failure				
Lifting of patching compound				
Other				
ITEM	Not Applicable	Acceptable	Not Acceptable	Brief Explanation
Substrate movement				
Construction / trade damage				
Other:				
Consumer Attributable Flooring Failure:	Not Applicable	Apparent Ca	use	Brief Explanation
Traffic discoloration				
Sunlight / heat discoloration				
Moving damage				
Surface staining				
Surface indenting				
Scuffing of surface finish				
Inadequate / incorrect maintenance				
Other:				

# **INSTALLATION REVIEW GUIDE - OTHER RESILIENT FLOORING**

Project Name:		Inspection / Claim No.:		
Maintenance Information:	Name / Type	Brief Explanation		
Cleaning frequency				
Cleaning product used				
Cleaning methods used				
Other:				
Recommendations: Floor	Covering Contractor Replace / Adjust	Owner / Builder to assume Responsibility		
Comments:				
Description / Diagram of Area:				
Review Reports:				
☐ 1 Pre-Installation Report	Date:	Inspector:		
☐ 2 Interim Report	Date:	Inspector:		
☐ 3 Final Report	Date:	Inspector:		
☐ 4 Post-Installation Report	Date:	Inspector:		

NFCA Reference Manual Part B04C3

Revision 00 - 10 June 2006

© 2006 BCFCA